MODULAR
SERVICES COMPANY

SELECTION GUIDE

ARTWORKS® ACCESSORIES

MODULAR
SERVICES COMPANY

ARTWORKS® ACCESSORIES

The following accessories are for use with ArtWorks® units. The vacuum regulators and flowmeters with swivel assemblies are for use with the recessed models only. Swivel assemblies included with these flowmeters and vacuum regulators allow the clinician to store the equipment conveniently in place behind the picture.

3-Mode Continuous Vacuum Regulator with Swivel Assembly

The 3-Mode Regulator comes complete with a swivel assembly, allowing the vacuum regulator to be stored in the recessed ArtWorks® — ready for immediate access by the clinician.

DESCRIPTION	ADAPTER	STOCK NO.
Vacuum Regulator, 3-Mode Continuous with Swivel Assembly and Tubing Nipple	Diamond Style	**224-2900**
	Geometric Style	**224-2943**
	Latch Key Style	**224-2944**

Intermittent Suction Unit Vacuum Regulator with Swivel Assembly

The Intermittent Vacuum Regulator comes complete with a swivel assembly, allowing the vacuum regulator to be stored in the recessed ArtWorks® — ready for immediate access by the clinician.

DESCRIPTION	ADAPTER	STOCK NO.
Vacuum Regulator, Intermittent Suction with Swivel Assembly and Tubing Nipple	Diamond Style	**251-2901**
	Geometric Style	**251-2945**
	Latch Key Style	**251-2946**

Vacuum Swivel Assembly Only

Vacuum Swivel Assembly includes guard and adapter ONLY. No regulators.

DESCRIPTION	ADAPTER	STOCK NO.
Vacuum Swivel Assembly and Guard	Diamond Style	**522-2948**
	Geometric Style	**522-2950**
	Latch Key Style	**522-2949**

Oxygen Flowmeter with Swivel Assembly

The 0–15 L/M Oxygen Flowmeter comes complete with swivel assembly, oxygen color-coded tubing nipple, and oxygen DISS power outlet. The swivel assembly allows the flowmeter to be stored in the recessed ArtWorks® ready for immediate access by the clinician.

DESCRIPTION	ADAPTER	STOCK NO.
O15P Oxygen Flowmeter with Swivel Assembly, Oxygen Tubing Nipple and Oxygen DISS Power Outlet	Diamond Style	**524-3350**
	Geometric Style	**524-3351**
	Latch Key Style	**524-3352**

MODULAR
SERVICES COMPANY

ARTWORKS® ACCESSORIES

Oxygen Swivel Assembly Only

Oxygen Swivel Assembly includes guard and adapter ONLY. No flowmeters.

DESCRIPTION	ADAPTER	STOCK NO.
Oxygen Swivel Assembly and Guard	Diamond Style	**524-3364**
	Geometric Style	**524-3366**
	Latch Key Style	**524-3365**

Air Flowmeter with Swivel Assembly

The 0–15 L/M Air Flowmeter comes complete with swivel assembly, Air, color-coded tubing nipple and air DISS power outlet. The swivel assembly allows the flowmeter to be stored in the recessed ArtWorks®- ready for immediate access by the clinician.

DESCRIPTION	ADAPTER	STOCK NO.
A15P Air Flowmeter with Swivel Assembly, Tubing Nipple and Air DISS Power Outlet	Diamond Style	**526-3754**
	Geometric Style	**526-3755**
	Latch Key Style	**526-3756**

Air Swivel Assembly Only

Air Swivel Assembly includes guard and adapter ONLY. No flowmeters.

DESCRIPTION	ADAPTER	STOCK NO.
Air Swivel Assembly and Guard	Diamond Style	**526-3763**
	Geometric Style	**526-3765**
	Latch Key Style	**526-3764**

Aneroid Manometer

Tycos Aneroid Manometer with cuff storage and installation hardware for installing the manometer into the recessed ArtWorks®. The cuff storage and installation hardware are also available separately.

DESCRIPTION	STOCK NO.
Tycos Aneroid Manometer with Cuff Storage and Installation Hardware	**517-2216**

MODULAR
SERVICES COMPANY

ARTWORKS® ACCESSORIES

HOSPITAL NAME: _____

OPTIONAL LOWER ELECTRICAL CONSOLE

1. Order the console that matches the ArtWorks® model you have selected. The console is an optional accessory that is ordered separately and installed (by others) at the jobsite.
2. When configuring the console, please consider bed location in reference to the lower console, as this may affect the sequential order of the components that you require.
3. Configure the console using the components listed on the legend below. Fill in the component location with the appropriate component code.

3-Gas Flush-Mount (6813-F & 6823-F) Qty (as shown) _____ (reverse seq.) _____



5-Gas Flush-Mount (6815-F & 6825-F) Qty (as shown) _____ (reverse seq.) _____

3-Gas Recessed-Mount (6813-R & 6823-R) Qty (as shown) _____ (reverse seq.) _____



5-Gas Recessed-Mount (6815-R & 6825-R) Qty (as shown) _____ (reverse seq.) _____



LEGEND FOR OPTIONAL LOWER CONSOLE ELECTRICAL COMPONENTS

Code	Description
N1	Simplex Electrical Receptacles, Ivory, Normal Power
N2	Duplex Electrical Receptacle, Ivory, Normal Power
E1	Simplex Electrical Receptacle, Red, Emergency Power
E2	Duplex Electrical Receptacle, Red, Emergency Power
B	Blank
NL	Continuous Burn Night Light
TL	Telephone Outlet Provision
DP	Data Outlet Provision
MP*	Provision for #376 Side-Com
NP	Duplex Receptacle Provision, Normal Power
EP	Duplex Receptacle Provision, Emergency Power
P1	Single-Gang Compartment w/Blank Coverplate
P2**	Two-Gang Compartment w/Blank Coverplate

*MP Consider the bed location in reference to the lower console when arranging the order of components.

**P2 Requires two component locations side by side.



500 E. Britton Rd. • Oklahoma City, OK 73114
Tel: 800.687.0938 • Fax: 405.528.0368
www.modularservices.com
info@modularservices.com

©2025 Modular Services Company